## ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/

ATTORNEY DOCKET No.: 14014.0417U2 APPLICATION No.: 10/581,228 SHEET 1 OF 15

INFORMATION DISCLOSURE STATEMENT LIST (Use as many sheets as necessary)

Complete if Known Application Number 10/581,228 Filing Date June 2, 2006 First Named Inventor Chiorini et al. Group Art Unit 1646 Examiner Name Unassigned

				Examiner Name	U	nassigned	
	*		U.S. PATEN	T DOCUMENTS			
Examiner's Initials	Cite No.	Document No.	Date	Name	Class	Subclas s	Filing Date (if appropriate
	B1	6,146,874	Nov 14 2000	Zolotukhin et al.			
	B2	6,180,613	Jan 30 2001	Kaplitt et al.			
-	В3	6,221,349	Apr 24 2001	Couto et al.			
	B4	6,309,634	Oct 30 2001	Bankiewicz et al.			
	B5	6,391,858	May 21 2002	Podsakoff et al.			
	В6	6,468,524	Oct 22 2002	Chiorini et al.			
	B7	6,485,976	Nov 26 2002	Nadler et al.			
	B8	6,855,314	Feb 15 2005	Chiorini et al.			
	В9	6,984,517	Jan 10 2006	Chiorini et al.			
	B10	2002/0076754 A1	Jun 20 2002	Sun et al.			
	B11	2003/0228282 A1	Dec 11 2003	Gao et al.			
	B12	2004/0086490 A1	Jun 06 2004	Chiorini et al.			
	B13	2004/0110266 A1	Jun 10 2004	Chiorini et al.			
	B14	2004/0115789 A1	Jun 17 2004	Meruelo et al.			
	B15	2005/0255089 A1	Nov 17 2005	Chiorini et al.			
			FOREIGN PATE	ENT DOCUMENTS			
Examiner's Initials	Cite No.	Foreign Patent Document Country Code- Number-Kind Code	Date	Name		Translati	on Yes/No
	B16	DE 44 36 664 A1	Jul 4 1996	Heilbronn, R.		YES	
	B17	WO 1993/24641 A	Dec 9 1993	Carter et al.			
	B18	WO 1996/00587 A	Jan 11 1996	Samulski et al.			
	B19	WO 1996/15777 A	May 30 1996	Wiener et al			

initials	Cite No.	Country Code- Number-Kind Code			Teshivo
	B16	DE 44 36 664 A1	Jul 4 1996	Heilbronn, R.	YES
	B17	WO 1993/24641 A	Dec 9 1993	Carter et al.	
	B18	WO 1996/00587 A	Jan 11 1996	Samulski et al.	
	B19	WO 1996/15777 A	May 30 1996	Wiener et al.	
	B20	WO 1996/18727	Jun 20 1996	Natsoulis, Georges	
	B21	WO 1997/06272	Feb 20 1997	Natsoulis, Georges	
	B22	WO 1998/41240 A	Sept 24 1998	High et al.	
	B23	WO 1998/45462 A	Oct 15 1998	Ciliberto et al.	
	B24	WO 2000/28061	May 18 2000	Wilson et al.	
	B25	WO 2003/093479	Nov 13 2003	Muzyczka et al.	
	B26	WO 2005/017101	Feb 24 2005	Bossis et al.	
	B27	WO 2006/029196	Mar 16 2006	Chiorini et al.	
	B28	WO 2006/119432	Nov 09 2006	Schmidt et al.	

/Michael Burkhart/ Date Considered: 10/21/2011 Examiner Signature: EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

## ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH, /MB/ ATTORNEY DOCKET No.: 14014.0417U2

APPLICATION No.: 10/581,228

SHEET 2 OF 15

			Comp	lete if Known	
INFORM	ATION D	ISCLOSURE STATEMENT LIST	Application Number	10/581,228	
- 0			Filing Date	June 2, 2006	
(1	Jse as m	any sheets as necessary)	First Named Inventor	Chiorini et al.	
			Group Art Unit	1646	
			Examiner Name	Unassigned	
		NON-PATEN	T DOCUMENTS		
Examiner's Initials	Cite No.	Non-Patent Citations (include A	Non-Patent Citations (include Author, Title, Publisher, Relevant Pages, Date and Place of Publication)		
	B29	Alexander et al., "DNA-Damaging Agent Associated Virus Vectors," December 19			
	B30	Alisky et al., "Transduction of Murine Ce 2000, Mol. Neurosci., 11(1221):2669-26		nant FIV and AAV5 Vectors," August	
	B31	Alisky J.M. and Tolbert D.M., "Differential amine and cholera toxin subunit B," 199			
	B32	Allen, J.M., Halbert, C.L. and Miller, A.D transfection of a single helper adenoviru			
	B33	Arnberg, N., A. H. Kidd, K. Edlund, J. Ni to cell surface sialic acid through a char	sson, P. Pring-Akerblom, and G. Wadell, "Adenovirus type 37 binds e-dependent interaction," 2002, Virology, 302:33-43.		
	B34	Atchison, R. W., B. C. Casto, and W. M. Hammon, "Adenovirus-Associated Defective Virus Particles," 1 Science, 149:754-756.			
	B35	Auricchio et al., "A Single-Step Affinity Column for Purification of Serotype-5 Based Adeno-Associated Viral Vectors," October 2001, Mol Ther, 4(4):372-374.			
	B36	Bachmann, P.A., M.D. Hoggan, E. Kurstak, J.L. Melnick, H.G. Pereira, P. Tattersall, and C. Vago, "Parvoviridae: second report," 1979, Interverology, 11:248-254.			
	B37	Bajocchi G, Feldman SH, Crystal RG, N central nervous system using recombina			
	B38	Bantel-Schaal U, Delius H, Schmidt R, a distantly related to other known primate	zur Hausen H., "Human adeno-a helper-dependent parvoviruses	ssociated virus type 5 is only ,* 1999, <i>J Virol.</i> , 73(2):939-947.	
	B39	Bantel-Schaal U, zur Hausen H., "Chara a genital site," 1984, Virology, 134(1):52		ctive human parvovirus isolated from	
	B40	Bantel-Schaal, U. and M. Stohr, "Influen normal cells," 1992, J. Virol., 66:773-779		adherence and growth properties of	
	B41	Bantel-Schaal, U., Hub, B. and Kartenbe accumulation of virus particles in the Go			
	Battlett JS, Kleinschmidt J., Boucher RC, and Samulski RJ, "Targeted adeno-associated virus vector transduction of nonpermissive cells mediated by a bispecific F(ab'gamma) <sub>2</sub> antibody," 1999, <i>Nat Biotechnol</i> , 17:181-186.				
	B43	Bartlett JS, Samulski RJ, McCown TJ., brain," 1998, Hum Gene Ther, 9(8):118		deno-associated virus type 2 in	
	B44	Bartlett, J.S., Wilcher, R. and Samulski, adeno-associated virus vectors," 2000,		of adeno-associated virus and	
	B45	Ben-Israel, H. and Kleinberger, T., "Ade	novirus and cell cycle control," 2	2002, Front Biosci, 7:d1369-1395.	

I	Examiner Signature:	/Michael Burkhart/	Date Considered:	10/21/2011		
	EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
		ared Individe convent this f	erm with next communication to	applicant		

ATTORNEY DOCKET No.: 14014.0417U2
APPLICATION NO.: 10/581,228
SHEET 3 OF 15

Complete if Known INFORMATION DISCLOSURE STATEMENT LIST Application Number 10/581,228 Filing Date June 2 2006 (Use as many sheets as necessary) First Named Inventor Chiorini et al. Group Art Unit 1646 **Examiner Name** Unassigned Bergelson, JM, Cunningham JA, Droquett G., Kurt-Jones EA, Krithivas A., Hong JS, Horwitz MS, Crowell R46 RL, and Finberg RW, "Isolation of a common receptor for Coxsackie B viruses and adenoviruses 2 and 5." 1997, Science, 275:1320-1323. Berns, K. I., "Parvoviridae: the viruses and their replication," In F. B. N., K. D. M., and H. P. M. (ed.), Fields B47 virology, 3rd ed. Lippincott-Raven Publishers, Philadelphia, PA. p. 2173-2197. Blacklow, et al., "Serologic Evidence for Human Infection With Adenovirus-Associated Viruses," 1968, J NCI, R48 40(2):319-327. Blacklow, N.R., Hoggan, M.D. and Rowe, W.P. "Isolation of adenovirus-associated viruses from man." 1967. B49 Proc Natl Acad Sci U S A. 58:1410-1415. Bornsel M. Alfsen A. "Entry of viruses through the epithelial barrier; pathogenic trickery," 2003, Nat Rev Mol B50 Cell Biol. 4:57-68. Bornsel M. David V. "Mucosal gatekeepers: selecting HIV viruses for early infection," 2002, Nat Med, 8:114-**B51** 116. Bossis, I. and Chiorini, J.A., "Cloning of an Avian Adeno-Associated Virus (AAAV) and Generation of **B52** Recombinant AAAV Particles," 2003, J Virol, 77(12):6799-6810. Burcin, M.M., O'Malley, B.W. and S.Y. Tsai, "A regulatory system for target gene expression," 1998. B53 Frontiers in Bioscience, 3:c1-7. Carter, B. J., B. A. Antoni, and D. F. Klessig, "Adenovirus containing a deletion of the early region 2A gene B54 allows growth of adeno-associated virus with decreased efficiency," 1992, Virology, 191:473-476. Carter, B. J., C. A. Laughlin, L. M. de la Maza, and M. Myers, "Adeno-associated virus autointerference," B55 1979, Virology, 92:449-462. Casto, B. C., R. W. Atchison, and W. M. Hammon, "Studies on the relationship between adeno-associated B56 virus type I (AAV-1) and adenoviruses. I. Replication of AAV-1 in certain cell cultures and its effect on helper adenovirus," 1967a, Virology, 32:52-59. Casto, B. C., J. A. Armstrong, R. W. Atchison, and W. M. Hammon, "Studies on the relationship between adeno-associated virus type 1 (AAV-1) and adenoviruses. II. Inhibition of adenovirus plaques by AAV; its **B57** nature and specificity," 1967b, Virology, 33:452-458. Chang, L.S. and Shenk, T., "The adenovirus DNA-binding protein stimulates the rate of transcription directed **R58** by adenovirus and adeno-associated virus promoters," 1990, J Virol. 64:2103-2109. Chang, L.S., Y. Shi, and T. Shenk, "Adeno-associated virus P5 promoter contains an adenovirus E1A-B59 inducible element and a binding site for the major late transcription factor,"1989, J. Virol., 63:3479-3488. Chao H et al., "Several Log Increase in Therapeutic Transgene Delivery by Disticnt Adeno-Associated Viral B60 Serotype Vectors," 2000, Molecular Therapy, 2(6):619-623. Cheianovsky, N. and B.J. Carter, "Replication of a human parvovirus nonsense mutant in mammalian cells B61 containing an inducible amber suppressor," 1989a, Virology, 171:239-247. Cheianovsky, N. and B.J. Carter, "Mutagenesis of an AUG codon in the adeno-associated virus repigene: B62 effects on viral DNA replication," 1989b. Virology, 173:120-128.

Examiner Signature:	/Michael Burkhart/	Date Considered:	10/21/2011		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include copy of this form with next communication to applicant.					

ATTORNEY DOCKET No.: 14014.0417U2 APPLICATION No.: 10/581,228

SHEET 4 OF 15

		Complete if Known Application Number 10/581,228		
INFORMATION D	INFORMATION DISCLOSURE STATEMENT LIST		10/581,228	
(Line on m	any sheets as necessary)	Filing Date	June 2, 2006	
(USE as III	ally silects as fiecessary)	First Named Inventor	Chiorini et al.	
		Group Art Unit	1646	
		Examiner Name	Unassigned	
B63	Chiorini JA, Afione S, Kotin RM, "Adeno- terminal resolution site compared with ot			
B64	Chiorini, J.A., C.M. Wendtner, E. Urcelay T cell co-stimulatory molecule B7-2 to lyr vectors, "1995, <i>Human Gene Therapy</i> , 6:	nphoid cells using high-titer rec		
B65	Chiorini, J.A., L. Yang, B. Safer, and R.N Rep78 binding sites by random sequence			
B66	Chiorini, J.A., M.D. Weitzman, R.A. Owe proteins of adeno-associated virus type 2 68:797-804.			
B67	Chiorini, J.A., S.M. Wiener, R.M. Kotin, R.A. Owens, SRM Kyöstiö, and B. Safer, "Sequence requirements for stable binding and function of Rep68 on the adeno-associated virus type 2 inverted terminal repeats, 1994b, J. Virol, 68:7448-7457.			
B68	Clark et al., "Highly Purified Recombinant Adeno-Associated Virus Vectors are Biologically Active and Free of Detectable Helper and Wild-Type Viruses," 1999, <i>Hum. Gene Ther.</i> , 10:1031-1039.			
B69	Cohen-Salmon et al., "Targeted ablation of connexin26 in the inner ear epithelial gap junction network causes hearing impairment and cell death," 2002, Curr Biol, 12:1106-1111.			
B70	Crystal RG, "Transfer of genes to humans: early lessons and obstacles to success," 1995, Science, 270(5235):404-410.			
B71	Database EMBL, Entry GGACTAA, Genl	Bank Accession number M6116	6, 3/27/1991, XP002125220	
B72	Davidson BL, Doran SE, Shewach DS, Latta JM, Hartman JW, Roessler BJ., "Expression of Escherichia coli- beta-galactosidase and rat HPRT in the CNS of Macaca mulatta following adenoviral mediated gene transfer, "1994, Exp Neurol, 182:58-267.			
B73	Davidson BL, Stein CS, Heth JA, Martins "Recombinant adeno-associated virus tyl regions in the mammalian central nervou	pe 2, 4, and 5 vectors: Transdu	ction of variant cell types and	
B74	Deonarain MP, "Ligand-targeted recepto Vectors, 8(1):53-69.	r-mediated vectors for gene deli	ivery," 1998, Molecular Conjugate	
B75	Derby, M. L., M. Sena-Esteves, et al., "G vaccinia virus vectors," 1999, Hear Res,		n inner ear using HSV-1 and	
B76	Di Pasquale, G., and J. A. Chiorini, "PKA EMBO J, 22:1716-1724.	/PrKX activity is a modulator of	AAV/adenovirus interaction," 2003,	
B77	Di Pasquale, G., B. L. Davidson, et al., "I Nat Med, 9(10):1306-1312.	dentification of PDGFR as a rec	ceptor for AAV-5 transduction," 2003,	
B78	Dixit, M., M.S. Webb, W.C. Smart, and S associated virus that harbors a human be			
B79	Doll RF, Crandall JE, Dyer CA, Aucoin JI into mammalian brain cells using AAV ve			

Examiner Signature: /Michael Burkhart/ Date Considered: 10/21/2011 EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ATTORNEY DOCKET No.: 14014.0417U2

APPLICATION No.: 10/581,228 SHEET 5 OF 15

INFORMATION D	SCLOSURE STATEMENT LIST	Application Number	plete if Known 10/581,228
(Use as many sheets as necessary)		Filing Date	June 2, 2006
		First Named Inventor	Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
B80	Duan, D., Yue Y., Yan Z., McCray PBJ recombinant adenoassociated virus info 9:2761-2776.		
B81	During MJ, Symes CW, Lawlor PA, Lin Lipski J, Young D, "An oral vaccine aga 2000, Science, 287:1453-1460.		
B82	During MJ, Xu R, Young D, Kaplitt MG, using an adeno-associated virus vector		
B83	During MJ, Leone P, "Adeno-associate 1995-96, Clin Neurosci, 3(5):292-300,		y of neurodegenerative disorders,"
B84	Erles, K., Sebokova, P. and Schlehofer to adeno-associated virus (AAV)," 1999		ce of serum antibodies (IgG and IgM)
B85	Fan D-S, Ogawa M, Fujimoto K-I, Ikeguchi K, Ogasawara Y, Urabe M, Nishizawa M, Nakano I, Yoshida M, Nagatsu I, Ichinose H, Nagatsu T, Kurtzman GJ, Ozawa K, "Behavioral recovery in 6-hydroxydopamine-lesioned rats by cotransduction of striatum with tyrosine hydroxylase and aromatic L-amino acid decarboxylase genes using two separate adeno-associated virus vectors," 1998, Hum Gene Ther, 9:2527-2535.		
B86	Fisher, KJ, Jooss K., Alston J., Yang Y., Haecker SE, High K., Pathak R., Raper SE, and Wilson JM, "Recombinant adeno-associated virus for muscle directed gene therapy," 1997, <i>Nat Med</i> , 3:306-312.		
B87	Fisher, R.E., H.D. Mayor, "The evolution 149:429-439.	n of defective and autonomous	parvoviruses," 1991, J Theor Biol,
B88	Flannery et al., "Efficient Photorecepto Associated Virus," 1997, Proc Natl Aca		vivo by Recombinant Adeno-
B89	Flotte TR, Solow R, Owens RA, Afione virus vectors in airway epithelial cells,"	S, Zeitlin PL, Carter BJ, "Gene 1992, Am J Respir Cell Mol Bio	expression from adeno-associated bl, 7(3):349-356; XP000609213
B90	Flotte, T.R., S.A. Afione, C. Conrad, S.A. McGrath, R. Solow, H. Oka, P.L. Zeitlin, W.B. Guggino, and B.J. Carter, "Stable <i>in vivo</i> expression of the cystic fibrosis transmembrane conductance regulator with an adenoassociated virus vector," 1993, <i>Proc. Natl. Acad. Sci.</i> , 90:10613-10617.		
B91	Flotte, T.R., S.A. Afione, R. Solow, M.L "Expression of the cystic fibrosis transr virus promoter," 1993, <i>J Biol Chem</i> , 26	nembrane conductance regulat	uggino, P.L. Zeitlin, and B.J. Carter, or from a novel adeno-associated
B92	Frolenkov GI, Belyantseva IA, Friedma ear hair cells," 2004, Nat Rev Genet, 5		hts into the morphogenesis of inner
B93	Gao, G., L. H. Vandenberghe, M. R. Alvira, Y. Lu, R. Calcedo, X. Zhou, and J. M. Wilson, "Clades of Adeno- associated viruses are widely disseminated in human tissues," 2004, <i>J Virol</i> , 78:6381-6388.		
B94	Gao, G.P., Alvira, M.R., Wang, L., Calcedo, R., Johnston, J. and Wilson, J.M., "Novel adeno-associated		
B95	GenBank Accession number AY10019	No date	
xaminer Signature:	/Michael Burkhart/ Date Cor		
	eference considered, whether or not citation i		Draw line through citation if not in
onformance and not cons	sidered. Include copy of this form with next of	ommunication to applicant.	

ATTORNEY DOCKET No.: 14014.0417U2 APPLICATION No.: 10/581,228

NO.: 10/581,228 SHEET 6 OF 15

		1	lete if Known	
INFORMATION I	INFORMATION DISCLOSURE STATEMENT LIST		10/581,228	
IN ORMATION L	NOCEOGORE OTATEMENT EIGT	Application Number Filing Date	June 2, 2006	
(Use as m	nany sheets as necessary)	First Named Inventor	Chiorini et al.	
		Group Art Unit	1646	
		Examiner Name	Unassigned	
B96	Georg-Fries B, Biederlack S, Wolf J, zu seroepidemiology of a new human parv			
B97	Ghodsi A., Stein C., Derksen T., Martin improves beta-glucuronidase distributio gene transfer," 1999, Exp Neurol, 160:1	n and pathology in murine MPS		
B98	Ghodsi A., Stein, C., Derksen T., Yang, activity in murine central nervous system <i>Ther</i> , 9:2331-2340.			
B99	Girod A., Ried M., Wobus C., Lahm H. capsid modifications allow efficient re-ta 1056.			
B100	Grimm, D. and M. A. Kay, "From virus evolution to vector revolution: use of naturally occurring serotypes			
B101	Grimm D and Kern A, Rittner K Kleinsch Recombinant Adenoassociated Virus V			
B102		Guy J., Qi X., Muzyczka N., and Hauswirth WW, "Reporter expression persists 1 year after adeno- associated virus-mediated gene transfer to the optic nerve," 1999, Arch Ophthalmol, 117:929-937.		
B103	Halbert CL, Standaert TA, Aitken ML, Alexander IE, Russell DW, and Miller AD, "Transduction by adeno- associated virus vectors in the rabbit airway: efficiency, persistence, and readministration," 1997, J. Virol., 71:5932			
B104	Hallbert, C. L., J. M. Allen, and A. D. Miller, "Adeno-associated virus type 6 (AAV6) vectors mediate efficie transduction of airway epithelial cells in mouse lungs compared to that of AAV2 vectors," 2001, J Virol, 75:6615-6624.			
B105	He, D. Z., J. Zheng, et al., "Development Res, 162(1-2):113-125.	nt of acetylcholine receptors in cu	ultured outer hair cells," 2001, Hear	
B106	Hehir K.M., Armentano D., Cardoza L.N. Everton M.B., Keegan J., Martin J.M., F characterization of replication-competer prevent their occurrence," 1996, J Virol	Pratt D.A., Smith M.P., Smith A.E nt variants of adenovirus vectors	., Wadsworth S.C., "Molecular	
B107	Heister, T., Heid, I. Ackermann, M., Fraefel, C., "Herpes simplex virus type 1/adeno-associated virus hybr vectors mediate site-specific integration at the adeno-associated virus preintegration site, AAVS1, on hum chromosome 19," 2002, J Virol, 76(14):7163-7173.			
B108	Hermonat PL, Santin AD, De Greve J, De Rijcke M, Bishop BM, Han L, Mane M, Kokorina N, 'Chromosc latency and expression at map unit 95 of a wild-type plus adeno-associated virus (AAV)/Neo vector and identification of p81, a new AAV transcriptional promoter, '1999 Nov-Dec, J Hum Viro., 2(6):359-368.			
B109	Hermonat, PL and N Muzyczka, "Use o transduction of neomycin resistance int 81:6466-6470.			

Examiner Signature: Michael Burkhan/ Date Considered: 10//21/2011

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance in Linduce copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/
ATTORNEY DOCKET No.: 14014.0417U2
APPLICATION NO.: 10/581\_256

SHEET 7 OF 15

		Comp Application Number	olete if Known
INFORMATION I	INFORMATION DISCLOSURE STATEMENT LIST		10/581,228
(Hea as n	nany sheets as necessary)	Filing Date First Named Inventor	June 2, 2006
(036 83 11	(ose as many sheets as necessary)		Chiorini et al.
			1646
		Examiner Name	Unassigned
B110	Hermonat, P.L., M.A. Labow, R. Wright isolation and preliminary characterization 339.		
B111	Hoggan, M. D., N. R. Blacklow, and W. preparations: physical, biological, and i 55:1467-1474.		
B112	Hoggan, M.D., "Adenovirus associated	viruses," 1970, Prog Med Virol,	12:211-239.
B113	Holt, J. R., "Viral-mediated gene transfe 2002, Audiol Neurootol, 7(3):157-160.	er to study the molecular physiol	logy of the Mammalian inner ear"
B114	Holt, J. R., D. C. Johns, et al., "Function cells infected with adenoviral vectors,"		
B115	Hsueh Y-P, Sheng M., "Regulated exprorteoglycans and the syndecan-bindir Neurosci, 19(17):7415-7425.		
B116	Hsueh Y-P, Yang F-C, Kharazia V, Naisbitt S, Cohen AR, Weinberg RJ, Sheng M, "Direct interaction of CASK/LIN-2 and syndecan hepara sulfate proteoglycan and their overlapping distribution in neuronal synapses," 1998, J Cell Biol, 142(1):139-151.		
B117	Hull, R. N., J. R. Minner, and J. W. Smith, "New viral agents recovered from tissue cultures of monkey kidney cells. I. Origin and properties of cytopathogenic agents S.V.1, S.V.2, S.V.4, S.V.5, S.V.6, S.V.11, S.V.12 and S.V.15, 1956, M.J. Hyg, 63:204-215.		
B118	Hull, R. N., and J. R. Minner, "New viral Problems of isolation and identification,		
B119	Hull, R. N., J. R. Minner, and C. C. Mascoli, "New viral agents recovered from tissue cultures of monkey kidney cells. III. Recovery of additional agents both from cultures of monkey tissues and directly from tissue and excreta," 1958, Am J Hyg, 88:31-44.		
B120	Hunter, L.A. and R.J. Samulski, "Coloc nuclei of infected cells," 1992, J. Virol.,		rus Rep and capsid proteins in the
B121	Im DS, Muzyczka N, "Partial purification of adeno-associated virus Rep78, Rep52, and Rep40 and their biochemical characterization," 1992 Feb, J Virol., 66(2):1119-1128, XP002125031.		
B122	Inglis VI, Jones MP, Tse AD, Easton AS, "Neutrophils both reduce and increase permeability in a cell cultur model of the blood-brain barrier," 2004, Brain Res, 999(2):218-229.		
B123	Ito, M. and H.D. Mayor, "Hemagglutinin 100:61-68.	of type 4 adeno-associated sat	ellite virus," 1968, J. Immunol,
B124	Jaksch, M., K.D. Gerbitz, and C. Kilger, "Screening for mitochondrial DNA (mtDNA) point mutations using nonradioactive single strand conformation polymorphism (SSCP) analysis," 1995, Clin. Biochem., 28:503-509		
B125	Janik, J.E., M.M. Huston, K. Cho, and proteins requires both adenovirus DNA		

Examiner Signature:	/Michael Burkhart/	Date Considered:	10/21/2011		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not consid	tored. Include conv.of this for	m with next communication	to applicant		

## ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/

ATTORNEY DOCKET No.: 14014.0417U2 APPLICATION No.: 10/581.228

No.: 10/581,228 SHEET 8 OF 15

		Comp	lete if Known		
INFORMATION D	DISCLOSURE STATEMENT LIST	Application Number	10/581,228		
		Filing Date	June 2, 2006		
(Use as m	nany sheets as necessary)	First Named Inventor	Chiorini et al.		
		Group Art Unit	1646		
		Examiner Name	Unassigned		
B126	Jero J, Mhatre AN, Tseng CJ, Stern RE AK., "Cochlear gene delivery through ar 12(5):539-548.	, Coling DE, Goldstein JA, Hong n intact round window membrane	K, Zheng WW, Hoque AT, Lalwani e in mouse," 2001, <i>Hum Gene Ther</i> ,		
B127	Johansson CB, Momma S, Clarke DL, F the adult mammalian central nervous sy		dentification of a neural stem cell in		
B128	Kaludov et al., "Adeno-Associated Virus Hemagglutination and Efficient Transdu 75(15):6884-6893.				
B129	Kaludov et al., "Scalable Purification of Chromatography," 2002, Human Gene		4 or 5 Using Ion-Exchange		
B130	Kanzaki, S., K. Ogawa, et al., "Transger and advanced generation adenovirus ve				
B131	Kaplitt, M.G., P. Leone, R.J. Samulski, X. Xiao, D.W. Pfaff, K.L. O'Malley, and J.M. During, "Long-term gene expression and phenotypic correction using adeno-associated virus vectors in the mammallan brain," 1994, <i>Nature Genetics</i> . 8:148-158.				
B132	Kelsell, D.P., Dunlop, J., Stevens, H.P., Lench, N.J., Liang, J.N., Parry, G., Mueller, R.F., Leigh, I.M., "Connexin 26 mutations in hereditary non-syndromic sensorineural deafness," 1997, Nature, 387(6628):80-83				
B133		Kern, A., K. Schmidt, C. Leder, O. J. Muller, C. E. Wobus, K. Bettinger, C. W. Von der Lieth, J. A. King, and J. A. Kleinschmidt, "Identification of a heparin-binding motif on adeno-associated virus type 2 capsids," 2003,			
B134	Klein RL, Meyer EM, Peel AL, Zolotukhi in the rat septohippocampal or nigrostric Exp Neurol, 150:183-194.	in S, Meyers C, Muzyczka N, Kir atal pathway by recombinant add	ng MA., "Neuron-specific transduction eno-associated virus vectors," 1998,		
B135	Kondo M., Finkbeiner WE, and Widdico from dog tracheal epithelium," 1991, An		culture of highly differentiated cells		
B136	Kotin et al., "Organization of adeno-asset 170(2):460-467	ociated virus DNA in latently infe	cted Detroit 6 cells," 1989, Virology,		
B137	Kotin, R.M., M. Siniscalco, R.J. Samulski, X. Zhu, L. Hunter, C.A. Laughlin, S. McLaughlin, N. Muzyczka, M. Rocchi, and K.I. Berns, "Site-specific integration by adeno-associated virus," 1990, <i>Proc. Natl. Acad. Sci.</i> USA 87:221-2215.				
B138	Kovacs P, Pinter M, Csaba G, "Effect of glucosphingolipid synthesis inhibitor (PPMP and PDMP) treatment on Tetrahymena pyriformis: data on the evolution of the signaling system," 2000, Cell Biochem Funct, 18(4):269-280.				
B139	Kyo S, Nakamura M, Kiyono T, Maida Y immortalization of endometrial glandula Am J Pathol, 163(6):2259-2269.				

Examiner Signature: Michael Burkhart/ Date Considered: 10/21/2011

EXAMINER: Initial if reference considered, whether or not clatation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

ATTORNEY DOCKET NO.: 14014.0417U2 APPLICATION NO.: 10/581,228 SHEET 9 OF 15

			lete if Known
INFORMATION D	DISCLOSURE STATEMENT LIST	Application Number	10/581,228
/Llea ae m	nany sheets as necessary)	Filing Date	June 2, 2006
(USE as II	ially sileets as fiecessary)	First Named Inventor	Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
B140	Kyostio SR, Owens RA, Weitzman MD, virus (AAV) wild-type and mutant Rep p levels,* 1994, J Virol, 68(5):2947-2957,	roteins for their abilities to negat	
B141	Laughlin, C.A., M.W. Myers, D.L. Risin, adeno-associated virus," 1979, Virology		ng particles of the human parvovirus
B142	Laughlin, C.A., N. Jones, and B.J. Carte replication of adeno-associated virus,"		irus early region 1 genes upon
B143	Lee K, Kim YG, Jo EC, "Shuttle PCR-bagenome," 2003, J Virol Methods, 111(2)		eno-associated virus type 5
B144	Li J, Samulski RJ, Xiao X, "Role for Hig Vector Production," 1997, J Virol, 71(7).		sion in Adeno-Associated Virus
B145	Li Duan, M., T. Bordet, et al., "Adenovir guinea pig cochlea," 2002, Neuroreport		ector mediated gene transfer in the
B146	Liang Y, Annan RS, Carr SA, Popp S, Mevissen M, Margolis RV, Margolis RU., "Mammalian homologues of the <i>Drosophila</i> slit protein are ligands of the heparan sulfate proteoglycan glypican-1 in brain," 1999, <i>J Biol Chem</i> , 274(25):17885-17892.		
B147	Lo WD, Qu G, Sferra TJ, Clark R, Chen R, Johnson PR., "Adeno-associated virus-mediated gene transfer to the brain: duration and modulation of expression," 1999, <i>Hum Gene Ther</i> , 10:201-213.		
B148	Luchsinger, E., Strobbe, R., Dekegel, D. and Wellemans, G., "Use of 8-IV zonal rotor centrifugation as a simple tool for the separation of adeno-associated X7 virus (AAVX7) from helper adenoviruses," 1971, Arch Gesamte Virusforsch, 33:251-258.		
B149	Luchsinger, E., Strobbe, R., Wellemans, G., Dekegel, D. and Sprecher-Goldberger, S., "Haemagglutinating adeno-associated virus (AAV) in association with bovine adenovirus type 1," 1970, <i>Brief report. Arch Gesamte Virusforsch</i> , 31:390-392.		
B150	Luebke, A. E., J. D. Steiger, et al., "A m compromising cochlear function," 2001,		cochlear hair cells in vivo without
B151	Luebke, A. E., P. K. Foster, et al., "Cool using adenovirus- and adeno-associate		
B152	Maeda Y, Ikeda U, Ogasawara Y, Urabe M, Takizawa T, Saito T, Colosi P, Kurtzman G, Shimada K, Ozawa K, "Gene transfer into vascular cells using adeno-associated virus (AAV) vectors," 1997, Cardiovasc Res, 35(3):514-521, XP-002125030		
B153	Mandel RJ, Rendahl KG, Spratt SK, Snyder RO, Cohen LK, Leff SE., "Characterization of intrastriatal recombinant adeno-associated virus-mediated gene transfer of human tyrosine hydroxylase and human GTPcyclohydrolase lin a rat model of Parkinson's disease," 1998, J Neurosci, 18(11):4271-4284.		
B154	McCarty, D.M., J. Pereira, I. Zolotukhin, sequences that specifically bind the add	eno-associated virus Rep protein	n," 1994, J. Virol., 68:4988-4997.
B155	McCown TJ, Xiao X, Li J, Breese GR, S Gene Transfer by an Adeno-Associated		

Examiner Signature: /Michael Burkhat/ Date Considered: 10/21/2011

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ATTORNEY DOCKET NO.: 14014.0417U2 APPLICATION NO.: 10/581,228 SHEET 10 OF 15

		Comp	lete if Known
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228
		Filing Date	June 2, 2006
(Use as n	(Use as many sheets as necessary)		Chiorini et al.
			1646
		Examiner Name	Unassigned
B156	McPherson, R. A., L. J. Rosenthal, and J. A. Rose, "Human cytomegalovirus completely helps adeno- associated virus replication," 1985, Virology, 147:217-222.		
B157	Mendelson, E., J.P. Trempe, and B.J. C associated virus by antibodies to a synt		
B158	Meyers, C., Mane, M., Kokorina, N., Alam, S. and Hermonat, P.L., "Ubiquitous human adeno-associated virus type 2 autonomously replicates in differentiating keratinocytes of a normal skin model," 2000, Virology, 272:338-346.		
B159	Mitrani E, Ziv T, Thomsen G, Shimoni Y structures and is expressed in the hypo		
B160	Mizukami, H., N.S. Young, and K.E. Bromembrane glycoprotein," 1996, Virology		pe 2 binds to a 150-kilodalton cell
B161	Mori, S., L. Wang, T. Takeuchi, and T. Kanda, "Two novel adeno-associated viruses from cynomolgus monkey: pseudotyping characterization of capsid protein," 2004, Virology, 330:375-383.		
B162	Mouw, M.B. and Pintel, D.J., "Adeno-associated virus RNAs appear in a temporal order and their splicing is stimulated during coinfection with adenovirus," 2000, J Virol, 74:9878-9888.		
B163	Muramatsu S-I, et al., "Nucleotide Sequencing and Generation of an Infectious Clone of Adeno-Associated Virus 3," 1996, Virology, 221:208-217, XP000608965		
B164	Muster et al., "Physical Mapping of Adeno-Associated Virus Serotype 4 DNA" 1980, J. Virol., 35(3):653-661; XP002058632		
B165	Muzyczka, N, "Use of adeno-associated virus as a general transduction vector for mammalian cells," 1992, Curr Top Microbiol Immunol, 158:97-129.		
B166	Myrup, A.C., Mohanty, S.B. and Hetrick, F.M., "Isolation and characterization of adeno-associated viruses from bovine adenovirus types 1 and 2," 1976, <i>Am J Vet Res</i> , 37(8):907-910.		
B167	Naz, S., Griffit, h.J., Riazuddin, S., Hampton, L.L., Battey, J.F. Jr, Khan, S.N., Riazuddin, S., Wilcox, E.R., Friedman, T.B., "Mulations of ESPN cause autosomal recessive deafness and vestibular dysfunction," 2004, JMed Genet, 4(8):591-595.		
B168	No D, Yao TP, Evans RM., "Ecdysone-inducible gene expression in mammalian cells and transgenic mice," 1996, Proc Natl Acad Sci USA, 93(8):3346-3351.		
B169	Ogston, P., K. Raj, and P. Beard, "Productive replication of adeno-associated virus can occur in human papillomavirus type 16 (HPV-16) episome containing keratinocytes and is augmented by the HPV-16 E2 protein," 2000, J Virot, 17-4394-3504.		
B170	Opie et al., "Identification of amino acid residues in the capsid proteins of adeno-associated virus type 2 that contribute to heparan sulfate proteoglycan binding," 2003, J Virol, 77:6995-7006.		
B171	O'Riordan et al., "Scaleable Chromatog (rAAV)," 2000, J Gene Med, 2:444-454.		Recombinant Adeno-Associated Virus
B172	Parks, W.P., J.L. Melnick, R. Rongey, and H.D. Mayor, "Physical assay and growth cycle studies of a defective adeno-satellite virus," 1967, J. Virol., 1:171-180.		

Examiner Signature: /Michael Burkhart/	Date Considered: 10/21/2011
EXAMINER: Initial if reference considered, whether or	r not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of this for	m with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT LIST		Complete if Known Application Number 10/581,228		
INFORMATION DISCLOSURE STATEMENT LIST				
(Use as many sheets as necessary)		Filing Date	June 2, 2006	
(Ose as many sneets as necessary)		First Named Inventor	Chiorini et al.	
		Group Art Unit	1646	
		Examiner Name	Unassigned	
B173	Podsakoff, G., K.K. Jr Wong, and S. Ch associated virus-based vectors," 1994,		into nondividing cells by adeno-	
B174	Polishchuk R, Di Pentima A, Lippincott- the apical surface of polarized MDCK co			
B175	Prasad KM, Zhou C, Trempe JP, "Chara Virology, 229(1):183-192, XP-00212503		associated virus complex," 1997,	
B176	Qing K, Mah C, Hansen J, Zhou S, Dwa co-receptor for infection by adeno-asso			
B177	Qiu J, Brown KE., "Integrin alphaVbetas 1999, Virology, 264(2):436-440.			
B178	Rabinowitz et al., "Cross-Packaging of a Single Adeno-Associated Virus (AAV) Type 2 Vector Genome into Multiple AAV Serotypes Enables Transduction with Broad Specificity," 2002, <i>J Virol</i> , 76(2):791-801, XP002247245.			
B179	Rabinowitz JE, Bowles DE, Faust SM, Ledford JG, Cunningham SE, Samulski RJ, "Cross-dressing the winor: the transcapidation of adeno-associated virus serotypes functionally defines subgroups," 2004, J Virol, 78(9):4421-4432.			
B180	Reddy, V. S., P. Natarajan, B. Okerberg, K. Li, K. V. Damodaran, R. T. Morton, C. L. Brooks, 3rd, and J. E. Johnson, "Virus Particle Explorer (VIPER), a website for virus capsid structures and their computational analyses," 2010, J. Virol, 75:11943-11947.			
B181	Rich DP, Couture LA, Cardoza LM, Guiggio LM, Armentano D., Espino PC, Hehir K., Welsh MJ, Smith AE, and Gregory RJ, 'Development and analysis of recombinant adenoviruses for gene therapy of cystic fibrosis,' 1993, <i>Hum.Gene Ther.</i> , 4:461-476.			
B182	Richardson, W. D., and H. Westphal, "Requirement for either early region 1a or early region 1b adenovirus gene products in the helper effect for adeno-associated virus," 1984, J Virol, 51:404-410.			
B183	Rose, J.A., M.D. Hoggan, F. Koczot, and A.J. Shatkin, "Genetic relatedness studies with adenovirus- associated viruses," 1968, <i>J. Virol.</i> , 2:999-1005.			
B184	Rosenfeld et al., "Adeno-associated viral vector gene transfer into leptomeningeal xenografts," 1997, J Neuro-Oncology, 34(2):139-144.			
B185	Russell et al., "Adeno-Associated Virus Vectors Preferentially Transduce Cells in S Phase," 1994, Proc. Natl. Acad. Sci. USA, 91:8915-8919.			
B186	Rutledge EA, Halbert CL, and Russell DW, "Infectious Clones and Vectors Derived from Adeno-Associated Virus (AAV) Serotypes other Than AAV Type 2," 1998, J. Virol., 72(1):309-319.			
B187	Ryan, J.H., S. Zolotukhin, and N. Muzyo associated virus terminal repeats," 1996		or binding of Rep68 to the adeno-	
B188	Rzadzinska, A. K., M. E. Schneider, et a functional architecture and self-renewal			
B189	Saffer, L. D., R. Gu, et al., "An RT-PCR analysis of mRNA for growth factor receptors in damaged and control sensory epithelia of rat utricles," 1996, <i>Hear Res</i> , 94(1-2):14-23.			

Examiner Signature:	/Michael Burkhart/	Date Considered:	10/21/2011	
EXAMINER: Initial if refe	erence considered, whether	or not citation is in conforma	nce with MPEP 60	9. Draw line through citation if not in
conformance and not considered. Include copy of this form with next communication to applicant.				

ATTORNEY DOCKET No.: 14014.0417U2
APPLICATION No.: 10/581,228
SHEET 12 OF 15

INCORMATION DISCLOSURE STATEMENT LIST			lete if Known
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228
(Use as many sheets as necessary)		Filing Date	June 2, 2006
(OSC as many sheets as necessary)		First Named Inventor	Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
B190	Salo R. and Mayor H., "Structural Polyp		
B191	Samulski RJ, Chang LS, Shenk T, "Help integration does not require viral gene e		
B192	Samulski, R. J., and T. Shenk, "Adenovi accumulation of adeno-associated virus		
B193	Samulski, R.J., K.I. Berns, M. Tan, and N. Muzyczka, "Cloning of adeno-associated virus into pBR322: rescue of intact virus from the recombinant plasmid in human cells," 1982, <i>Proc Natl Acad Sci USA</i> , 79:2077-208.		
B194	Sanes JR, JLR Rubenstein, and JF Nico lineage in mouse embryos," 1986, EMB		ovirus to study post-implantation cell
B195	Sanlioglu, S., Benson, P.K., Yang, J., Alkinson, E.M., Reynolds, T. and Engelhardt, J.F., "Endocytosis and nuclear trafficking of adeno-associated virus type 2 are controlled by rac1 and phosphatidylinositol-3 kinase activation," 2000, <i>J Virol</i> , 74:9184-9196.		
B196	Schinkel AH, "P-Glycoprotein, a gatekeeper in the blood-brain barrier," 1999, Adv Drug Deliv Rev, 36:179-194.		
B197	Schlehofer JR, Heilbronn R, Georg-Fries B, zur Hausen H, "Inhibition of initiator-induced SV40 gene amplification in SV40-transformed Chinese hamster cells by infection with a defective parvovirus," 1983, Int. J Cancer, 32(6):591-595, Vp009010321.		
B198	Schlehofer, J. R., M. Ehrbar, and H. zur Hausen, "Vaccinia virus, herpes simplex virus, and carcinogens induce DNA emplification in a human cell line and support replication of a helpervirus dependent parvovirus," 1988, Virology, 152:110-111.		
B199	Schmidt M, Grot E, Cervenka P, Wainer S, Buck C, Chiorini JA, "Identification and characterization of novel adeno-associated virus isolates in ATCC virus stocks," 2006. J Virol, 80(10):5082-5085.		
B200	Schneider, M. E., I. A. Belyantseva, et al., "Rapid renewal of auditory hair bundles," 2002, Nature, 418(6900):837-838.		
B201	Schwede, T., J. Kopp, N. Guex, and M. C. Peitsch, "SWISS-MODEL: An automated protein homology-modeling server," 2003, <i>Nucleic Acids Res</i> , 31:3381-3385.		
B202	Seiler MP, Miller AD, Zabner J, Halbert CL, "Adeno-associated virus types 5 and 6 use distinct receptors for cell entry," 2006, <i>Hum Gene Ther</i> , 17:10-19.		
B203	Seiler, M. P., C. L. Halbert, J. A. Chiorini, A. D. Miller, and J. Zabner, "AAV5 and AAV6 Mediate Gene Transfer to Human Airway Epthelia Via Different Receptors," 2002, Mol Ther, 5:S40.		
B204	Senapathy, P., J.D. Tratschin, and B.J. Carter, "Replication of adeno-associated virus DNA Complementation of naturally occurring rep- mutants by a wild-type genome or an ori- mutant and correction of terminal palindrome deletions," 1984, J Mol Biol, 1791-20.		
B205	Shou, J., J. L. Zheng, et al., "Robust geradenoviral expression of <i>Hath1</i> ," 2003,		
B206	Smith, R. H., S. A. Afione, et al., "Transposase-mediated construction of an integrated adeno-associated virus type 5 helper plasmid," 2002, Biotechniques, 33(1):204-206,208,210-211.		

Examiner Signature: /Michael Burkhart/ Date Considered: 10/21/2011

EXAMINER: Initial if reference considered, whether on not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ATTORNEY DOCKET NO.: 14014.0417U2
APPLICATION NO.: 10/581,228
SHEET 13 OF 15

		C	lata if Kanaum	
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	lete if Known 10/581,228	
INFORMATION DISCLOSURE STATEMENT LIST		Filing Date	June 2, 2006	
(Use as many sheets as necessary)		First Named Inventor	Chiorini et al.	
		Group Art Unit	1646	
		Examiner Name	Unassigned	
B207	Snyder RO, Miao CH, Patjin GA, Spratt SK, Danos O, Nagy D, Gown AM, Winther B, Meuse L, Cohen Lif Thompson AR, and Kay MA, "Persistent and therapeutic concentrations of human factor IX in mice after hepatic gene transfer of recombinant AAV vectors," 1997, Nat. Cenet., 16:270-276.			
B208	Sobkowicz, H. M., J. M. Loftus, et al., "T 502:3-36.	issue culture of the organ of Co	rti," 1993, Acta Otolaryngol Suppl,	
B209	Srivastava et al., "Nucleotide Sequence J. Virol., 45(2):555-564; XP002058633	and Organization of the Adeno-	Associated Virus 2 Genome," 1983,	
B210	Staecker H, Li D, O'Malley BW Jr, Van D of multiple vector systems," 2001, Acta		n in the mammalian cochlea: a study	
B211	Stracker, T. H., G. D. Cassell, P. Ward, Y. M. Loo, B. van Breukelen, S. D. Carrington-Lawrence, R. K. Hamatake, P. C. van der Vliet, S. K. Weller, T. Melendy, and M. D. Weitzman, "The Rep protein of adeno-associated vir			
B212	Summerford C, Bartlett JS, Samulski RJ., "AlphaVbeta5 integrin: a co-receptor for adeno-associated virus type 2 infection," 1999, Nat Med, 5(1):78-82.			
B213	Summerford, C. and R. J. Samulski, "Membrane-associated heparan sulfate proteoglycan is a receptor for adeno-associated virus type 2 virions," 1998, <i>J Virol</i> , 72(2):1438-1445.			
B214	Superti, F., M. L. Marziano, A. Tinari, and G. Donelli, "Effect of polyions on the infectivity of SA-11 rotavirus in LCC-MK2 cells," 1993, Comp. Immunol Microbiol Infect Dis, 16:55-62.			
B215	Suzuki, H., Y. Katori, et al., "Carbohydrate distribution in the living utricular macula of the guinea pig detected by lectins," 1995, Hear Res, 87(1-2):32-40.			
B216	Teramoto, S., Bartlett JS, McCarty DXX, Samulski RJ, and Boucher RC. "Factors influencing adeno- associated virus-mediated gene transfer to human cystic fibrosis airway epithelial cells: comparison with adenovirus vectors," 1998, J Virol, 72:8904-8912.			
B217	Thomas CE, Storm TA, Huang Z, Kay MA, "Rapid uncoating of vector genomes is the key to efficient liver transduction with pseudotyped adeno-associated virus vectors," 2004, J Virol, 78(6):3110-3122.			
B218	Tratschin, J. D., M. H. West, T. Sandbank, and B. J. Carter, "A human parvovirus, adeno-associated virus, as a eucaryotic vector: transient expression and encapsidation of the procaryotic gene for chloramphenicol acetyltransferase," 1984, Mol Cell Biol, 4:2072-2081.			
B219	Tratschin, J.D., I.L. Miller, and B.J. Carter, "Genetic analysis of adeno-associated virus: properties of deletion mutants constructed <i>in vitro</i> and evidence for an adeno-associated virus replication function," 1984, J. Virol., 51:611-619.			
B220		Trempe, J.P. and B.J. Carter, "Regulation of adeno-associated virus gene expression in 293 cells: control of mRNA abundance and translation," 1988, <i>J. Virol.</i> , 62:68-74.		
B221	Trempe, J.P., E. Mendelson, and B.J. Carter, "Characterization of adeno-associated virus rep proteins in human cells by antibodies raised against rep expressed in <i>Escherichia coli</i> ," 1987, <i>Virology</i> , 161:18-28.			
B222	Tuma PL and Hubbard AL, "Transcytosi	s: crossing cellular barriers," 20	03, Physiol Rev, 83(3):871-932.	

Examiner Signature: /Michael Burkhart/ Date Considered: 10/21/2011

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance in Linduce copy of this form with next communication to applicant.

ATTORNEY DOCKET NO.: 14014.0417U2 APPLICATION NO.: 10/581,228 SHEET 14 OF 15

		Complete if Known		
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228	
(Upo as many shoots as necessary)		Filing Date	June 2, 2006	
(Use as many sheets as necessary)		First Named Inventor	Chiorini et al.	
		Group Art Unit	1646	
		Examiner Name	Unassigned	
	Voutetakis A, Kok MR, Zheng C, Bossis I, Wang J, Cotrim AP, Marracino N, Goldsmith CM, Chiorini JA, Loh YP, Nierman LK, Baum BJ, 'Reengineered salivary glands are stable endogenous bioreactors for systemic			
		d Sci USA, 101(9):3053-3058. ng, A.W. Nienhuis, and R.J. Sar	mulabi "Dogulated high laual	
B224 expression of a human vector," 1992, <i>Proc Na</i>	gamma-globin ge tl Acad Sci USA, 8	ene introduced into erythroid cel 39:7257-7261.	lls by an adeno-associated virus	
			ni, J.A. and Zabner, J., "Binding of ne transfer," 2001, J Biol Chem,	
	Walters, RW, Duan D., Engelhardt JF, and Welsh MJ., "Incorporation of adeno-associated virus in a calcium phosphate coprecipitate improves gene transfer to airway epithelia in vitro and in vivo," 2000, J. Virol.,			
	Walters, RW, Grunst T., Bergelson JM, Finberg RW, Welsh MJ, and Zabner J., 'Basolateral localization of fiber receptors limits adenovirus infection from the apical surface of airway epithelia,' 1999, J. Biol. Chem., 274			
B228 papillomavirus type 16	Walz, C., A. Deprez, T. Dupressoir, M. Durst, M. Rabreau, and J. R. Schlehofer, "Interaction of human papillomavirus type 16 and adeno associated virus type 2 co-infecting human cervical epithelium," 1997, J Gen Virol, 18			
B229 "Influence of cell polari	Wang G., Davidson BL, Melchert P., Stepushkin VA, van Es HH, Bodner M., Jolly DJ, and McCray PBJr., "Influence of cell polarity on retrovirus-mediated gene transfer to differentiated human airway epithelia," 1998, Journal of Virology, 72:9818-9826.			
Rago Wang X S, and A Sriva	Wang X S, and A Srivastava, "Rescue and autonomous replication of adeno-associated virus type 2 genomes containing Rep-binding site mutations in the viral p5 promoter," 1998, J Virol, 72:4811-4818.			
	Ward, P., F. B. Dean, M. E. O'Donnell, and K. I. Berns, "Role of the adenovirus DNA-binding protein in in vitro adeno-associated virus DNA replication," 1998, J Virol, 72:420-427.			
	Weindler, F. W., and R. Heilbronn, "A subset of herpes simplex virus replication genes provides helper functions for productive adeno-associated virus replication," 1991, J Virol, 65:2476-2483.			
	Winocour, E., M.F. Callaham, and E. Huberman, "Perturbation of the cell cycle by adeno-associated virus," 1988, Virology, 167:393-399.			
	Xiao, W., N. Chirmule, S. C. Berta, B. McCullough, G. Gao, and J. M. Wilson, "Gene therapy vectors based on adeno-associated virus type 1," 1999, J Virol, 73:3994-4003.			
	Xiao et al., "Efficient Long-Term Gene Transfer into Muscle Tissue of Immunocompetent Mice by Adeno- Associated Virus Vector," 1996, J. Virol., 70(11):8098-8108.			
	Xiao Xm Li J, Samulski RJ, "Production of High-Titer Recombinant Adeno-Associated Virus Vectors in the Absence of Helper Adenovirus," 1997, J Virol, 72(3):2224-2232.			
B231 Biol, 264:497-520.	Xie Q. and Chapman MS, "Canine parvovirus capsid structure, analyzed at 2.9 Å resolution," 1996, J Mol Biol, 264:497-520.			
	as a response to	A., Schlehofer, J.R. and zur Hau cellular genotoxic stress," 1988		
Examiner Signature: /Michael Burkhart/		idered: 10/21/2011		
EXAMINER: Initial if reference considered, wheth conformance and not considered. Include copy of this	er or not citation is i s form with next con	n conformance with MPEP 609. Dr. nmunication to applicant.	aw line through citation if not in	

408675

ATTORNEY DOCKET No.: 14014.0417U2
APPLICATION No.: 10/581,228
SHEET 15 OF 15

		Complete if Known	
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228
(Use as many sheets as necessary)		Filing Date	June 2, 2006
		First Named Inventor	Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
B239	Yakobson, B., Hrynko, T.A., Peak, M.J. and Winocour, E., "Replication of adeno-associated virus in cells irradiated with UV light at 254 nm," 1989, J Virol, 63:1023-1030.		
B240	Yamano, S., Huang, L.Y., Ding, C., Chlorini, J.A., Goldsmith, C.M., Wellner, R.B., Golding, B., Kotin, R.M., Scott, D.E. and Baum, B.J., "Recombinant adeno-associated virus serotype 2 vectors mediate stable interdeukin 10 secretion from salvary glands into the bloodstream," 2002, Hum Gene Ther, 13:287-298.		
B241	Yamaya, M., Finkbeiner WE, Chun SY, and Widdicombe JH, "Differentiated structure and function of cultures from human tracheal epithelium," 1992, <i>Am.J.Physiol</i> , 262:L713-L724,		
B242	Zabner J, Seiler M, Walters R, Kotin RM, Fulgeras W, Davidson BL, Chiorini JA, "Adeno-associated virus type S (AAV5) but not AAV2 binds to the apical surfaces of airway epithelia and facilitates gene transfer," 2000, J Vinc, 74(9):3852-3885, XP002197205		
B243	Zabner, J., Zeiher BG, Friedman E, and Welsh MJ, "Adenovirus-mediated gene transfer to ciliated airway epithelia requires prolonged incubation time," 1996, <i>J. Virol.</i> , 70:6994-7003.		
B244	Zhang JR, Mostov KE, Lamm ME, Nanno M, Shimida S, Ohwaki M, Tuomanen E, 'The polymeric immunoglobulin receptor translocates pneumococci across human nasopharyngeal epithelial cells,' 2000, Cell, 102(6):827-837.		
B245	Zhu ZB, Makhija SK, Lu B, Wang M, Rivera AA, Preuss M, Zhou F, Siegal GP, Alvarez RD, Curiel DT, "Transport across a polarized monolayer of Caco-2 cells by transfertin receptor-mediated adenovirus transcytosis," 2004, Viro., 325:116-128.		
B246	Zolotukhin et al., "Recombinant Adeno-Associated Virus Purification using Novel Methods Improves Infectious Titer and Yield," 1999, Gene Ther, 6:973-985.		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MB/

Examiner Signature: Michael Burkhart/ Date Considered: 10/21/2011

EXAMINER: Initial if reference considered, whether or citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.